IN THE CLAIMS:

Please amend claims 15, 16, 17 and 25 as follows:

1-14. (Canceled)

- 15. (Currently Amended) A method of detecting the presence of calcium containing endospores comprising the steps of:
 - a) directing calcium containing endospores into a chemiluminescent liquid;
 - i) chelating the calcium of said endospores; and
 - ii) reacting the chelated
 calcium to produce a light
 pulse; and
 - b) detecting the generated light: light
 pulse; and
 - c) correlating the light pulse with the presence of calcium containing endospores.
- 16. (Currently Amended) The method of claim 15 wherein detecting calcium calcium containing endospores comprises the step of detecting endospores of the Bacillus genera.
- 17. (Currently Amended) The method of claim 15 wherein
 Page 2 of 9

FROM : WALTER BEAVERS FOR 10:42AM P3

detecting calcium containing endospores comprises the step of detecting endospores of the Clostridium genera.

- 18. (Original) The method of claim 16 wherein detecting Bacillus genera endospores comprises the step of detecting endospores of the species Bacillus anthracis.
- 19. (Original) The method of claim 15 wherein chelating the calcium comprises the step of chelating the calcium with ethylenediamine tetraacetate.
- 20. (Original) The method of claim 15 wherein reacting the chelated calcium comprises the step of reacting the calcium with aequorin.
- 21. (Previously presented) The method of claim 15 wherein directing calcium containing endospores into a chemiluminescent liquid comprises the further steps of:
 - a) pumping air comprising calcium containing endospores through a particulate filter to remove particles greater than 20 μM ; and
 - b) directing the filtered air into a reaction vessel containing the chemiluminescent liquid.

Page 3 of 9

- 22. (Previously presented) The method of claim 15 wherein detecting the generated light comprises the further step of: directing the light pulse through a light guide to a spectrometer for converting the light pulse into an electronic signal.
- 23. (Previously presented) The method of claim 22 further comprising the step of: sending the electronic signal to a personal computer for viewing and analyzing by a user.
- 24. (Previously presented) The method of claim 22 further comprising the step of: sending the electronic signal to a chart recorder for recording the quantity of light generated.
- 25. (Currently Amended) A method of detecting the presence of calcium containing endospores with an air pump, a particulate filter, a reaction vessel, and a spectrometer comprising the steps of:
 - a) pumping air comprising calcium containing endospores with the air pump into the reaction vessel containing a calcium chelating agent and a chemiluminescent photoprotein,
 - b) reacting the calcium containing endospores with the calcium chelating agent to chelate calcium ions,

Page 4 of 9

FROM: WALTER BEAVERS

- c) reacting the chelated calcium ions with the chemiluminescent photoprotein to generate photons of light,
- d) directing the photons of light to the spectrometer,
- e) converting the photons of light to an electronic signal, and
- f) recording the electronic signal. signal, and
- g) correlating the electronic signal with the presence of calcium containing endospores.
- 26. (Previously presented) The method of claim 25 wherein pumping air into the reaction vessel comprises the further step of: pumping air through the particulate filter to remove particles greater than 20 μ M.
- 27. (Previously presented) The method of claim 26 wherein filtering the air comprises the further step of: pumping the air at a rate of approximately 12.5 L/min.
- 28. (Previously presented) The method of claim 25 wherein pumping calcium containing endospores into the reaction vessel containing a chemiluminescent liquid comprises the further steps of:
 - a) dissolving 7.455 g of potassium chloride, 1.047 g of 3-[Morpholino] propanesulfonic acid and 19.01 mg of ethylenediamine tetraacetate tetrasodium salt in 1 L of

Page 5 of 9

- water to form a buffer solution,
- b) mixing 100 ml of the buffer solution with 1 g of aequorin to form the chemiluminescent liquid, and
- c) inserting 20 ml of the chemiluminescent liquid in the reaction vessel comprising quartz.
- 29. (Previously presented) The method of claim 25 wherein reacting the calcium containing endospores with the calcium chelating agent comprises the further step of: reacting the calcium containing endospores with ethylenediamine tetraacetate tetrasodium salt.
- 30. (Previously presented) The method of claim 25 wherein reacting the chelated calcium ions with the chemiluminescent photoprotein comprises the further step of: reacting the chelated calcium ions with aequorin.
- 31. (Previously presented) The method of claim 25 wherein reacting the chelated calcium ions with the chemiluminescent photoprotein comprises the further step of: reacting the chelated calcium ions with natural aequorin.
- 32. (Previously presented) The method of claim 25 further comprising the step of: counting the photons of light

Page 6 of 9

PACE 8/10 * RCVD AT 7/8/2004 10:41:20 AM [Eastern Daylight Time] * SVR:USPTO-EFXRF-1/3 * DNIS:8729306 * CSID:336 275 2009 * DURATION (mm-s5):04-30

by directing them to a liquid scintillator spectrometer.

- 33. (Previously presented) The method of claim 25 wherein recording the electronic signal comprises the further step of: sending the electronic signal to a personal computer.
- 34. (Previously presented) The method of claim 33 wherein sending the electronic signal comprises the further step of: sending the electronic signal to a chart recorder.

Page 7 of 9

FROM: WALTER BEAUERS